International Journal of STD & AIDS 2004; 15: 851–866

Index to Volume 15, 2004

Author Index

(C) Correspondence (E) Editorial (S1) Supplement 1

Abbott M 650
Abdullah ASM 608
Abrahamsen M 815
Ace W 328
Adewole DA 165
Ahmed G 280(C)
Ahmed-Jushuf I 297, 299, 587, 650
Ahmed-Jushuf IH 192, 639(C)
Ako SN 848(C)
Alam MS 280(C)
Alary M 61(C)
Aleem A 779(C)
Alemdji G 848(C)
Alessi E 17
Allan P 45
Alonso A 523
Altaf A 209(C)
Amaro F 56
Anderson T 789
Anderson WJ 793
Antinori A 254
Apoola A 376, 429, 725
Armstrong GL 7
Arnsten J 322
Arora B 178
Arora DR 178
Ashworth J 717
Association for Genitourinary Medicine (AGUM) 587
Atun R 641
Azim T 280(C)

Bachmann MO 388
Baillargeon J 348
Baily G 564
Balakrishnan P 51
Baldwin SB 815
Balestra P 254
Ballachandran T 841
Banerjee I 306
Bangsberg DR 543
Bansal D 141
Barfield RL 127
Barton SE 720
Basuyau F 679
Baya B 395
Behr G 519
Bell C 69(C), 195
Bellagamba R 254
Bennett CL 747
Benotsch EG 343
Bergstrom S 669
Beyrer C 697
Bhatia VP 173
Bigrigg A 380
Bikov A 641
Bindels PJE 797
Bingham J 273
Biryahwaho B 669
Blythe MJ 822
Boag F 319
Bogris S 836
Boily M-C 61(C)
Boothby M 376, 725
Bor R 33
Boumis E 139
Bower M 765
Bowman CA 141
Brabin BJ 494(C)
Brabin L 494(C)
Brahmbhatt H 601
Braithwaite AR 371
Bremer V 533
Brewer DD 63(C)
Brink N 597
British Association for Sexual and Health and HIV 650
British Co-operative Clinical Group of the British Association for Sexual Health and HIV 509
Brody S 1, 63(C), 434, 440, 442, 623
Brook G 195
Brook MG 69(C), 765, 829, 831
Browne R 319, 846(C)
Browning MR 569
Bryant L 552
Buckingham RW 210(C)
Buckland MS 574, 632
Buick D 38

Campbell J 758
Canchola A 479
Caraël M 395
Carey F 199, 424, 637(C)
Carey FM 316
Carlin E 195, 519
Carlin EM 192
Carminati G 17
Carne CA 509
Carter TR 629
Casey M 279(C), 568(C)
Cassell JA 587
Castillo JR 337
Celentano DD 697
Cestari T 333
Chaguturu SK 658
Challenor R 26, 720
Chalmers J 782
Chan DJ 772
Chandramani S 26
Chang SC 249
Chansa K 685
Charlebois ED 543
Chau NVV 758
Chauhan M 847(C)
Chemtob D 691
Chen MY 249, 762
Chen S 116
Chhi Mean V 419
Chhin S 48
Chi BH 685
Chi NH 758
Chrisofos M 836
Christmyer C 728
Chuh A 560
Chung N 779(C)
Chung S 29
Cicalini S 139
Civeira da Rocha F 333
Clarke J 285, 355, 767
Cleopa O 120
Cluzeau FA 297
Cohen CR 120
Coker R 641
Colebunders R 523, 538
Colvin MSE 388
Concia E 211(C)
Congo Z 395
Connolly C 94, 388
Cooper V 38
Copas AJ 653
Corkill JE 212(C)
Correia da Silva R 615
Corres da Silva RD 333
Courtney P 778(C)
Cove J 732
Crane M 384, 567
Crosby RA 467, 552
Cross JT 747
Crowley T 314
Cuevas LE 494(C)
Curtis B 388
Cusini M 17
Cu-Uvin S 419
Czernichow P 679

da Cunha Teles L 56
da Rocha FC 333
da Silva RDC 333
Dale H 515
Daniels D 195, 297, 299, 829, 831
Das S 143(C), 422, 484, 558
Davis TC 747
Day S 626
de la Torre J 594
de Leon SP 337
de Luca Jnr G 333
De Roo A 523, 538

Del Rosario GR 371
Deliveliotis Ch 836
Denman C 815
Dennison J 778(C)
Desmet P 523
Dhaliwal K 564
Dillingham PW 803
Dinardo LRB 705
Dinsmore W 213, 215, 316, 355, 781(E)
Dinsmore WW 424, 637(C), 640
Disogra C 266
Djambazov B 815
Donovan B 762, 849(C)
Dougan S 619
Dowell ME 328
Drake SM 473, 501
Dreezen C 523, 538
Drobniewski FA 641
Duarte A 615
Dunham RJC 486
Durrant K 238
Dyal K 127

Ebrahim S 94
Ebrahim SH 608
Elks R 68(C)
Ellen JM 728
Erbelding E 728
Erbelding EJ 29
Estcourt C 275, 564
Eteki N 848(C)
Evans A 33, 183
Evans BG 619
Exposto F 615

Faggian F 211(C)
Fairley CK 415, 629
Fang F 199
Fantoni M 254
Farrar JJ 758
Farzadegan H 322
Fedorin I 641
Fellows L 635(C)
Fenton KA 243
Fernando R 240
Fielding R 608
Figueroa JP 371
Filgueiras A 333
Fisher M 38
FitzGerald M 297, 299
Florence E 523, 538
Fontanet A 65(C)
Foo C 319
Ford K 260
Forster G 195
Forster GE 829, 831
Fox J 309
Franchi C 17
Fransen K 523, 538
Fraser SL 127
Frazão C 56
Freedman E 564
Frew PM 552
Froio N 139
Futh U 533

Galgani S 254
Gao S-J 348
Garcia A 615
García F 815
Gardner LI 322
Gardner MO 685
Garenne M 65(C)
Garland SM 116
Gautam V 178
Gee D 499
George R 367
George S 367
Gerstoft J 709(C)
Geusau A 496(C)
Ghanem M 45, 143(C)
Ghosh AK 705
Gigli B 139
Gilroy CB 21
Gisselquist D 63(C), 145, 222, 434, 442, 529, 623, 710(C)
Giulianelli M 254
Giuliano AR 815
Glass D 33
Gobbato RO 333
Goh BT 489
Gokhale R 705
Gold RS 99
Goldenberg RL 685
Goldmeier D 234, 519
Gomo E 709(C)
Goorney BP 833
Gore-Felton C 343
Graham CA 467
Grana M 594
Green J 519
Green K 747
Green ST 206(C)
Gregory A 639(C)
Grénman SE 740
Griffiths V 587, 639(C)
Groseclose SL 822
Grossman Z 691
Grover D 597
Grupo Malagueño para el estudio de Enfermedades Infecciones 594
Guernsey de Zapien J 815
Gutierrez M 594

Habib AR 240
Halabi S 282(C)
Hall J 639(C)
Hamasuna R 408
Hamouda O 533
Hankins M 626
Haque N 601
Hari R 51
Harindra V 737, 744
Harrington RD 803
Harris JP 619
Harris JRW 356
Harry TC 453
Harwell JI 48, 419
Hatch BA 629
Hauri AM 7
Haworth P 767
Hay PE 21
Hedley AJ 608
Heng EL 779(C)
Henton L 169
Hepburn LM 127
Hepburn MJ 127
Herlitz C 637(C)
Heungsberg M 422
Higgins SP 352
Hillman RJ 772
Hira SK 173
HIV Epidemiology Research Study (HERS) Group 322, 463
Hogg A 494(C)
Holmes KK 803
Holodniy M 543
Holtgrave DR 552, 789
Hook III EW 371
Horne R 38
Horner PJ 829, 831
Hsieh SM 249
Huang DB 328
Huengsberg M 143(C), 484, 558, 635(C)
Hung CC 249
Hunter J 815
Hutchinson S 103
Hutin YJF 7
Hylton-Kong T 371

Imai H 408
Imam G 601
Inoue T 107
Ippolito G 254
Ison C 243

Jacob CA 728
Jacques G 839
Jeyaseelan J 367
Jeyaseelan L 51, 367
Jittiwutikarn J 697
John M 779(C)
Johnson AM 238
Johnson MA 33
Jolly PE 371
Jones K 195, 765, 829, 831
Joseph AT 67(C)
Josset V 679
Joyee AG 51
Jungmann E 238, 243

Kaldor J 116
Kaleebu P 103
Kallestrup P 709(C)
Kamara P 371
Katapa RS 673
Katoh T 408
Kawichai S 697
Keane FEA 314
Kell P 584
Kelly JA 343
Kestens L 523, 538
Khan MR 280(C)
Khan N 94
Khoo SH 67(C)
Kibur-Nygård M 662
Kim A 479
Kimura S 107
Kinghorn G 356
Kinghorn GR 647, 650
Kingston MA 192, 352, 569
Kirloskar M 560
Kissinger P 822
Kitahata MM 803
Klayme S 463
Kohl KS 822

Komolafe AJ 212(C)
Koro S 116
Kozakis L 841
Kozlov AP 343
Kramer M 533
Kristensen S 371
Kua HW 775
Kurien T 51

Lacey H 711(C)
Lafferty WE 822
Lagarde E 395
Lakhani D 626
Lamba H 204, 234
Langley PC 473, 501
Lanzafame M 211(C)
Lau R 202, 355
Laukamm-Josten U 73
Lawoyin TO 165
Lazaris A 836
Leach CT 348
Leake H 38
Leang B 839
Lee JD 285
Lee SC 249
Lee VF 744
Leen CLS 289
Leke RJ 848(C)
Leng HB 479
Lepkowski JM 260
Leuridan E 493(C)
Levine WC 822
Levitt D 33
Liang TS 728
Lim K 839
Locatelli A 17
Lomax NJ 275
Longhurst HJ 632
Lopes M 615
Louie JK 758
Lowndes CM 61(C)
Lynen L 839
Lyons F 89

McClean H 183, 767
McGowan JP 384, 567
Mackie NE 234
McMillan A 134, 153, 162, 711(C), 811
Mahto M 279(C), 568(C), 635(C), 717
Malu MK 720
Manavi K 134, 153, 162, 711(C), 811
Manchanda R 282(C)
Mandel JS 479
Mani R 737
Manji H 597
Marcus U 533
Margolick JB 322
Marin E 747
Mariño R 266
Markos AR 492(C)
Markowitz LE 822
Marks C 309
Márquez M 594
Martin IMC 243
Maw R 357, 509
Maw RD 316, 355, 849(C)
Mayer KH 419, 658
Mayerhofer S 496(C)
Mazzaferro K 637(C)
Mazzi R 211(C)
Mbopi-Keou FX 848(C)
Mbu RE 848(C)
Meda N 395
Medley G 772
Meheus A 73
Mehta S 26
Meister E 210(C)
Meli C 848(C)
Melville CRS 380
Memon A 209(C)
Merchant W 775
Merle V 679
Messeritsch E 496(C)
Meuller N 337
Mfutso-Bengo J-M 494(C)
Micol R 65(C)
Miller R 195, 597
Miller RF 765
Mindel A 309, 403
Minichiello V 266
Minkin SF 145, 434
Mirakian R 275
Mohar A 337
Mokhbat J 463
Monaghan K 384, 567
Monteiro EF 509
Morgan D 103
Moss A 479
Moss AR 543
Moss T 61(C)
Mostyn PA 314
Muchimba M 685
Mujeeb SA 209(C)
Mulcahy F 89
Mullan N 519
Munday PE 495(C)
Murphy M 632
Murri R 254
Musher DM 328
Mwachari CW 120
Mwansa RA 282(C)

Nakao H 408
Naman R 463
Nana PN 848(C)
Nandwani R 380
Narciso P 254
Natin D 558
Navarro Henze JL 815
Ncube FM 619
Newey C 844(C)
Newsholme W 597
Nisbande D 388
Nishimura K 107
Nkengasong JN 848(C)
Noble H 489
North Thames GUM/HIV Audit Group 195, 829, 831
Noto P 254
Nuño E 594
Nwokolo N 844(C)
Nygård JF 662

Odhiambo JA 120
Ogilvie M 811
Oka S 107
Okong P 669
O'Leary M 116
O'Mahony C 68(C), 70, 144, 213, 284, 355, 426, 491, 498, 712(C), 844(C), 847(C)
O'Mahony L 844(C)
Opaneye AA 638(C)
Orroth K 61(C)
Ortega L 815
Ostrovski D 343

Page-Shafer K 479
Palacios R 277(C), 497(C), 594
Palmieri F 139
Panchal K 173
Papenfuss M 815
Parkes R 73
Parmar PA 173
Parry CM 758
Patel H 779(C)
Paterson J 134
Pattman RS 459, 847(C)
Peedicayil A 367
Peerbooms PGH 797
Pereira M 56
Perez-Ancona F 337
Perrin L 145
Petrak J 732
Petrosillo N 139
Pinching AJ 574
Pinkerton SD 343
Pitts MK 415, 629
Pöllänen PP 740
Pollock BH 348
Polori R 833
Ponce de Leon S 337
Postma MJ 797
Potterat J 529
Potterat JJ 1, 63(C), 222, 434, 442, 623, 710(C)
Poumerol G 116
Prager R 533
Prendiville W 89
Prieto E 615
Pugatch D 48, 419
Pulimi S 658

QoL Research Group of the AIDS Clinical Centre 107
Quah SP 316
Quang VM 758

Radcliffe K 45, 297, 299, 376, 422, 429, 725
Radja N 202
Rahman ASMM 280(C)
Rahman M 280(C)
Rahman S 280(C)
Rajagopal AS 707
Rajamanoharan S 509
Rajendran P 51
Ramia S 463
Ramos MC 333
Ray K 753
Razak MH 697
Reed SD 803
Reid CA 713
Reid SE 713
Renton A 73

Rich JD 322
Richards JE 459
Richardson D 204
Ridgway G 238
Rintala MAM 740
Risser JMH 778(C)
Robinson A 509, 849(C)
Robinson AJ 238, 647, 650
Rodgers CA 626
Rodriguez II 658
Rodriguez PS 328
Roelofs I 493(C)
Rogala C 590
Rogstad KE 169, 515, 653
Rojas M 815
Rompalo AM 322
Rooney G 297, 299
Ross J 635(C)
Ross MW 778(C)
Rothenberg R 529
Rothenberg RB 63(C)
Royal College of Physicians Genito-urinary Medicine Modernization Group 653
Rozycki G 48
Rufner KM 419
Ruiz-Palacios G 337
Rumsey DS 494(C)
Rungruengthanakit K 697
Runser LA 127
Rutherford GW 758
Ryder N 762

Sack DA 280(C)
Sada E 337
Salgado F 594
Salkovskis P 519
Salmaso F 17
Samnang P 479
Sampaolesi A 254
Sanders SA 467
Sangi-Haghpeykar H 685
Sangli G 395
Sankar KN 847(C)
Sankaran G 495(C)
Santos J 277(C), 497(C), 594
Sarker MS 280(C)
Satish Kumar SK 658
Sawanpanyalert P 697
Schmidt B 496(C)
Schrooten W 523, 538
Schulte M 543
Schuman P 322
Scott G 811
Scott GR 306
Scullard G 234
Seivewright H 519
Sethi G 829, 831
Sethi S 178
Shah N 322
Shah SA 209(C)
Shah SS 384, 567
Shann SM 486
Sheng WH 249
Shepherd BE 120
Shetty RR 566
Shinihara H 408
Sibai A 463
Sierra-Madero JG 337
Simpson JM 403
Sinclair M 33
Sinkala M 685
Skolarikos A 836
Smith DK 322
Smith NH 328
Snyder W 637(C)
Sok P 419
Solomon S 658
Solomon SS 658
Somlai AM 343
Soto JL 337
Spangenberg AC 797
Sripaipan T 697
Srirak N 697
STD Study Group 51, 367
Steel JL 637(C)
Sternberg MR 822
Strathdee SA 601
Stringer JSA 685
Study Group on HIV Dynamic Among Young Adults in Burkina Faso 395
Sturm AW 94
Sturm PDJ 94
Sugunendran H 212(C)
Sullivan EA 116
Suominen JJO 740
Suriyanon V 697
Syrjänen SM 740

Tabrizi S 116
Talbot EA 282(C)
Tang O 779(C)
Tawk HM 403
Tayal SC 638(C)
Taylor-Robinson D 21, 209(C)
Teles LC 56
Thao LTT 758
Theng T 419
Theobald N 720, 779(C)
Theorell T 637(C)
Thomas BJ 21
Thomas K 367
Thyagarajan SP 51, 367
Tjen-A-Tak J 797
Tobin JM 737, 744
Tobin R 584
Tomkins SE 619
Tomnay JE 415, 629
Tonye RN 848(C)
Tosi G 254
Tovanabutra S 697
Tozzi V 254
Traoré Y 395
Tschachler E 496(C)
Tschaepe H 533
Tsukino H 408
Tydén T 590
Tyrer P 519

ul Hassan S 601
Ullum H 709(C)
Uusküla A 662

van Bergen JEAM 797
Van Damme P 493(C)
Van Esbroeck M 523, 538, 839
Van Renthergem H 395
Van Rompaey SE 803
Velasco SR 337
Vento S 211(C)
Vermund SH 371, 713
Vernaci C 17
Vissoky J 333
Vlahov D 322
Volkow P 337
von Ardenne N 493(C)
Vongchak T 697

Walzman M 558
Wang JT 249
Wang Q-Q 199
Ward H 209(C)
Wasef W 847(C)
Watanabe M 107
Watson P 68(C), 639(C), 846(C)
Watson PG 189
Waugh MA 775
Weatherburn P 793
Webb N 210(C)
Weerasinghe D 309
Weinman J 38
Welch J 297, 299, 499
Wells CD 282(C)
West Midland Regional Audit Committee 558
White C 192
White DJ 473, 501
White Jr AC 328
White RG 61(C)
Whitworth JA 103
Wilson BH 189
Wilson JD 1(S1), 486
Wolf MS 747
Woolley PD 635(C), 717
Worthen E 847(C)
Wouters K 493(C)
Wright S 584
Wu AW 254
Wylie F 705

Yarber WL 467
Yaro S 395
Yirrell DL 103
Yorkshire Multi-District Genito-urinary Medicine Clinical Audit Group 183, 767
Young AA 803
Young H 162
Young S 519

Zafar T 601
Zawar V 560
Zenilman JM 29
Zerboni R 17
Zhao L 199
Zinyama R 709(C)
Zolfo M 839
Zolopa AR 543
Zucs P 533

Subject Index

(C) Correspondence (E) Editorial (S1) Supplement 1

ABSTINENCE: or condoms: declining HIV rates in Uganda due to cleaner needles 440
ACCESS:
to HIV test results from genitourinary medicine clinics in the UK 584
understanding of to genitourinary medicine services 587
ADHERENCE:
antiretroviral therapy in sub-Saharan Africa 713
doubts about necessity and concerns about adverse affects: identifying the types of beliefs that are associated with non-adherence to HAART 38
health literacy and patient knowledge in Southern US HIV clinic 747
pharmacy-based assessment: prediction of virologic and immunologic treatment response and clinical progression 803
ADOLESCENTS: American, characteristics of sexual partners and STD infection among 260
ADVERSE EFFECTS: concerns about and doubts about necessity: identifying the types of beliefs that are associated with non-adherence to HAART 38
AIDS:
caretakers in rural Tanzania 673
and HIV, the internet pornography industry and safer sex 206(C)
and HIV-related knowledge. Competing beliefs that may put a 'knowledgeable' person at risk for HIV 637(C)
vaccine: correlates of negative intent to receive 552
valid monitoring and research: establishing in countries with generalized epidemics 1
ALCOHOL: peno-dynia induction 492(C)
ALLERGY: metronidazole, symptomatic trichomoniasis and pregnancy management 275
ANAL CANCER: anal squamous intraepithelial lesions and the genitourinary medicine specialist 153
ANAL INTRAEPITHELIAL NEOPLASIA (AIN): GUM specialist 711(C)
ANAL ITCH: investigation 772
ANAL SQUAMOUS INTRAEPITHELIAL LESIONS: anal cancer and the genitourinary medicine specialist 153
ANOGENITAL WARTS 7
critical appraisal of commonly used treatment 357
extensive, associated with HTLV-1 infection 202
external
costs of treating in England and Wales: a treatment pattern analysis 501
imiquimod cream for HIV-infected patients under HAART therapy 17
patterns of treatment and resource utilization in treatment of, in England and Wales 473
patient assessment of, and the success of treatment with home applied therapy 316
ANTENATAL CLINIC:
attendees, vaginal tampons as specimen collection device for molecular diagnosis of non-ulcerative sexually transmitted infections 94
women attending prenatal services in Apia, Samoa, prevalence of sexually transmitted diseases and human immunodeficiency virus 116
ANTIBIOTICS:
opportunistic infections in hospitalized HIV-infected adults in Ho Chi Minh City, Vietnam 758
treatment for *Chlamydia trachomatis* genital tract infection 737
ANTIBODY TESTING, HIV:
audit of uptake amongst GUM clinic attendees in the West Midland region 558
determinants among selected groups of Chinese residents in Hong Kong 608
ANTIRETROVIRAL THERAPY:
adherence in sub-Saharan Africa 713
directly-administered, knowledge, attitudes and beliefs among tuberculosis patients, Botswana 2002 282(C)
drug resistance prevalence in the HIV-1 infected urban indigent population in San Francisco 543
high resistance to drugs: the Indian experience 173
is associated with sexual dysfunction and with increased serum oestradiol levels in men 234
perceptions in maternity-based health care providers in Zambia 685
see also highly active antiretroviral therapy (HAART)
ANTIVIRAL TREATMENT:
genital herpes 429, 847(C)
non-viral load surrogate markers in HIV-positive patient monitoring 538
ANXIETY: health, prevalence and service implications of in genitourinary medicine clinics 519
APPRAISALS: appraised! 284
ARTHRITIS: sexually acquired reactive, management in 19 North Thames GUM clinics 195
ASSAULT, SEXUAL:
care following rape: sexual health and Havens 499
female victims attending a genitourinary medicine clinic; audit of management 484
ASYLUM SEEKERS:
attending an STI clinic, what are their needs and are they significantly different from those of British patients? 515
genitourinary medicine/HIV services for persons with insecure immigration or seeking asylum in the United Kingdom: a British Co-operative Clinical Group Survey 509
AUDIT:
accelerating cycle: data gathering, analysis and dissemination of results by electronic methods 767
Chlamydia trachomatis
diagnosis in North Thames Region 2003 829
treatment in North Thames Region 2003 831
HIV antibody test uptake amongst GUM clinic attendees in the West Midland region 558
HIV partner notification: 2002 Victorian audit 629
impact of information leaflets on HIV test uptake amongst GUM clinic attendees 422
management
early syphilis at North Manchester General Hospital 352
female victims of sexual assault attending a genitourinary medicine clinic 484
multi-district of syphilis in genitourinary medicine clinics in Yorkshire 183

sexually acquired reactive arthritis in 19 North Thames GUM clinics 195
offering and accepting hepatitis B vaccine by sex workers 493(C)
post-exposure prophylaxis for human immunodeficiency virus infection in the Royal Infirmary of Edinburgh 134
AZITHROMYCIN: 1g single dose efficacy in management of uncomplicated gonorrhoea 240

BACTERIAL SEXUALLY TRANSMITTED INFECTIONS: sexual intercourse during therapy: evidence for efficacy of condom use preventing transmission during an acute bacterial STI 285
BACTERIAL VAGINOSIS: impact on detection of chlamydial infection 209(C)
BEHÇET'S DISEASE: and keratoconjunctivitis sicca, remission in an HIV-infected patient treated with HAART 139
BELIEFS:
identifying those associated with non-adherence to HAART: doubts about necessity and concerns about adverse affects 38
knowledge and attitudes about directly-administered antiretroviral therapy among tuberculosis patients, Botswana 2002 282(C)
BIRTH:
intrauterine infection as HIV-1 seropositivity marker 669
reduction of materno-fetal HIV transmission by improving delivery techniques combined with nevirapine 848(C)
BLISTERS: bursting 355
BLOOD: dried spots as HIV surveillance tool in remote developing world setting 658
BLOOD DONORS: paid, related to transfusion-associated HIV infection in Mexico 337
BLOOD TRANSFUSION: associated HIV infection in Mexico related to paid blood donors 337
BOOKS REVIEWED: Moss T, ed., *International handbook of chlamydia* 640(B)
BOWENOID PAPULOSIS OF PENIS: treatment with topical imiquimod cream 833
BRITISH ASSOCIATION FOR SEXUAL HEALTH AND HIV (BASHH):
combined ASTDA Spring Meeting 1(S1)
survey of additional genitourinary medicine-targeted allocations 2003/2004 650
BURDEN OF DISEASE:
can a shrinking service mislead people into thinking there is less disease? 637(C)
and mortality in a cohort of HIV-seropositive adults in Nairobi, Kenya 120

CANCER:
anal, anal squamous intraepithelial lesions and the genitourinary medicine specialist 153
another reason to stop smoking 497(C)
association of neoplasms with HIV infection in correctional settings 348
lung, early detection in high-risk patients with HIV-1 infection 211(C)
unusual bone manifestation of Kaposi's sarcoma 566
CARDIAC TAMPONADE: presenting with disseminating nocardiosis in HIV patient 839
CARETAKERS: of AIDS patients in rural Tanzania 673
CASUAL SEX:
HIV-positive patient having multiple casual partners 70
review of evidence from risk factor analyses associating HIV infection in African adults with medical injections and multiple sexual partners 222
CEFTRIAXONE: or procaine penicillin, response of HIV-infected patients with asymptomatic syphilis infection to intensive intramuscular therapy with 328
CENTRAL NERVOUS SYSTEM: herpes simplex virus infection in HIV-1-infected patients 597
CHAPERONING: in genitourinary medicine (intimate examinations in GUM clinics) 71
***CHLAMYDIA TRACHOMATIS* (CHLAMYDIA):**
accelerating audit cycle: data gathering, analysis and dissemination of results by electronic methods 767
asymptomatic among students in Japan, prevalence and risk factors 408
completeness and timeliness of treatment in a sexual health service 762
diagnosis in North Thames Region 2003 829
female infection, dual sampling for detection with a polymerase chain reaction test 189
genital infection
apparently healthy adult population of Tamil Nadu, India 51
ethnic origin and follow-up method effect on management 725
impact of bacterial vaginosis on detection 209(C)
infection in women along US–Mexico border 815
management, is telephone follow-up as good as traditional clinic follow-up in achieving the proposed national outcome standards? 376
measuring value of microscopy of urethral material 846(C)
in men, retrospective review of the correlation of symptoms, signs and microscopy with the diagnosis of 319
pharmacy-based screening programme in high-risk health centre population in Amsterdam 797
rectal
men attending GUM clinic 847(C)
prevalence amongst men who have sex with men attending the genitourinary medicine clinic in Edinburgh 162
re-infection in patients presenting to genitourinary clinic in Portsmouth 744
retrospective review of correlation of symptoms/signs/microscopy with diagnosis 846(C)
screening 849(C)
males at STD clinics in US cities 822
pilot study 744
treatment
genital tract infection 737
North Thames Region 2003 831
value of routine urethral smear microscopy 849(C)
CLIENTS:
how do they access their HIV test results from genitourinary medicine clinics in the UK? 584
preferences: partner notification in Melbourne and the estimated proportion of sexual partners they can contact 425
see also patients
COCAINE: penile necrosis induction 424
COMMERCIAL SEX WORKERS:
audit on offering and accepting of hepatitis B vaccine 493(C)
drug use and sexual risk behaviours among female Russian IDUs who exchange sex for money or drugs 343
female, condom use in Thailand 210(C)
male, a profile of clients in Córdoba, Argentina 266

COMMUNITY SETTING: genital syndromes and syndromic management of vaginal discharge in 367
CONDOM USE:
among the female sex worker population in Thailand 210(C)
breakage and slippage, correlates of among university undergraduates 467
evidence for efficacy for preventing transmission during an acute bacterial STI: sexual intercourse during therapy for bacterial sexually transmitted infections 285
in multi-partnered females 403
or abstinence, declining HIV rates in Uganda: due to cleaner needles 440
CONDYLOMA ACUMINATUM:
a case with giant and multiple lesions on the vulva and breast: successfully treated with surgical operations 199
HPV 16/18-associated of urinary bladder 836
CONDYLOMATOSIS: extensive genital warts associated with HTLV-1 infection 202
CONFIDENTIALITY: can doctors be liable of onward transmission of HIV 782
CONSENT: for photography 70
CONSULTANT CONTRACT 71, 712
UK, and availability supplement 491
CONTACT:
partner notification: preferences of Melbourne clients and the estimated proportion of sexual partners they can contact 425
see also partner notification
CONTRACEPTION:
emergency, who are the users? 309
genitourinary medicine: an opportunity to reduce unwanted pregnancy 192
practices amongst female genitourinary medicine clinic attenders 635(C)
CORRELATES OF NEGATIVE INTENT: to receive an AIDS vaccine 552
COSTS OF TREATING: external genital warts in England and Wales: a treatment pattern analysis 501
COUNSELLING:
HIV test and gypsies 426
HIV testing in rural villages in Southern Malawi, effectiveness of drama in promoting 494(C)
post-HIV test in mobile STD/HIV clinic 728
CRIMINAL LAW: doctor liability in onward transmission of HIV 782

DELIVERY: reduction of materno-fetal HIV transmission by improving techniques combined with nevirapine 848(C)
DEVELOPING WORLD: dried blood spots as HIV surveillance tool 658
DIAGNOSIS:
Chlamydia trachomatis in North Thames Region 2003 829
of gonorrhoea in women, the role of urethral samples 45
retrospective review of correlation of *Chlamydia trachomatis* symptoms/signs/microscopy 846(C)
urethral sample role for gonorrhoea in women 847(C)
DISEASE BURDEN:
can a shrinking service mislead people into thinking there is less disease? 637(C)
and mortality in a cohort of HIV-seropositive adults in Nairobi, Kenya 120
DOCTORS: a survey of study leave entitlement in 2002 amongst non-consultant career grades in genitourinary medicine 26
DRAMA: effectiveness of in promoting voluntary HIV counselling and testing in rural villages in Southern Malawi 494(C)
DRUG ABUSE *see* injecting drug users; substance abuse
DRUG REACTION: fixed drug eruption, sexually inducible 560
DRUG RESISTANCE, ANTIRETROVIRAL:
high: the Indian experience 173
prevalence in the HIV-1 infected urban indigent population in San Francisco 543
DRUG THERAPY:
critical appraisal of commonly used treatment for genital warts 357
holiday: symptomatic HIV viraemia during 564
therapeutic monitoring, value in the management of patients with HIV infection undergoing haemodialysis 67(C)

ECOLOGICAL EVIDENCE: selected: picture of HIV transmission in Africa 434
EDUCATION:
level 2 genitourinary medicine training and ongoing supervision 459
training in genitourinary medicine from the specialist registrar's point of view: opportunities and facilities available across the UK and plans for future working 569
EFAVIRENZ: end-stage renal disease 143(C)
EMERGENCY CONTRACEPTION: who are the users? 309
EPIDEMICS:
generalized, establishing valid AIDS monitoring and research in countries with 1
parallel and overlapping HIV and bloodborne hepatitis in Africa 145
shigellosis a re-emerging sexually transmitted infection: outbreak in men having sex with men in Berlin 533
year 2002 re-emergence of syphilis in Austria 496(C)
see also HIV epidemics
EPIDEMIOLOGY:
adult and adolescent HIV infection in Israel 691
in Africa: rich in conjecture, poor in data 63(C)
changing pattern of HIV infection in tertiary care hospital in New Delhi, India 753
HIV infection in urban Burkina Faso 395
HIV transmission rate utilization to assist prioritizing HIV prevention services 789
simulation to assess the conditions required for high level heterosexual HIV transmission in Africa 529
EPIDIDYMO-ORCHITIS: *Pseudomonas* in puberty 707
ERECTILE DYSFUNCTION:
private prescription costs for sildenafil within the NHS 314
treatment 215, 639(C)
ESTONIA: syphilis as social disease: experience from post-communist transition period 662
ETHNICITY:
genital chlamydial infection management 725
incomplete reporting and potential bias 778(C)
EVIDENCE-BASED MEDICINE:
evidence-based reassurance 68(C)
gonorrhoea test-of-cure 68(C)
EXPOSURE RATES: hepatitis C and G virus among HIV-infected patients: evidence of efficient transmission of HGV by the sexual route 463

FATALITY: and health care costs in HIV-infected patients 679
FEMALE CIRCUMCISION: non-sexual transmission of HIV 61(C)
FISHERMEN: in Sihanouk Ville, Cambodia, HIV prevalence and risk factors 479
FOLLOW-UP:
genital chlamydial infection management 725
for HIV test results: what limits return in an STD clinic population? 29
telephone, is it as good as traditional clinic follow-up in achieving the proposed national outcome standards for chlamydia management? 376
FOREIGN BODIES: penile 355
FUNDING:
BASHH survey of additional genitourinary medicine-targeted allocations 2003/2004 650
does this mark the end of 'portacabin culture'? 144
National Sexual Health and HIV Strategy 647
pump-priming on genitourinary medicine and modernization of services 653

GENERAL PRACTITIONERS:
high vaginal swab use 238
HIV test, counselling and gypsies 426
National Strategy on Sexual Health and HIV 169
sexual health care involvement 779(C)
Sexual Health Strategy on Sexual Health and HIV 638(C)
GENITAL MUTILATION: non-sexual transmission of HIV 61(C)
GENITAL SYNDROMES: and syndromic management of vaginal discharge in a community setting 367
GENITAL TRACT INFECTION: treatment for *Chlamydia trachomatis* 737
GENITAL WARTS *see* anogenital warts
GENITOURINARY MEDICINE:
chaperoning in (intimate examinations in GUM clinics) 71
consultant/client opinions on general practitioner sexual health care involvement 779(C)
does this mark the end of 'portacabin culture'? 144
evidence-based reassurance 68(C)
funding and modernization of services 653
HIV services for persons with insecure immigration or seeking asylum in the United Kingdom: a British Co-operative Clinical Group Survey 509
inconsistencies in partner notification practices 635(C)
mentoring 284
needs of asylum seekers attending an STI clinic and significant differences from those of British patients 515
new tests, new ways, old resistance 498
opportunity to reduce unwanted pregnancy 192
scrotal ultrasound scan role 306
specialists: anal cancer and anal squamous intra-epithelial lesions 153
survey of study leave entitlement in 2002 amongst non-consultant career grade doctors 26
training
level 2 and ongoing supervision 459
from the specialist registrar's point of view: opportunities and facilities available across the UK and plans for future working 569
understanding access to services 587
waiting list initiatives 356

GENITOURINARY MEDICINE CLINICS:
audit
HIV antibody test uptake in attendees in the West Midland region 558
management of female victims of sexual assault attending 484
multi-district of management of syphilis in Yorkshire 183
contraceptive practices amongst female attenders 635(C)
dedicated clinics in genitourinary medicine: student needs 568(C)
in England, BASHH—a multi-disciplinary review of all clinics 144
information leaflet impact on HIV test uptake amongst attendees 422
management
sexually acquired reactive arthritis in 19 North Thames clinics 195
uncomplicated adult gonococcal infection: should test of cure still be routine in patients attending 453
prevalence and service implications of health anxiety 519
rectal chlamydia
infection prevalence amongst men who have sex with men attending in Edinburgh 162
men attending 847(C)
re-infection of *Chlamydia trachomatis* in patients 744
telephone follow-up compared with traditional follow-up in achieving the proposed national outcome standards for chlamydia management 376
in the UK, clients accessing their HIV test results 584
GENOTYPIC RESISTANCE TESTING: in HIV-infected pregnant women in an urban setting 384, 567
GENOTYPING: use to disprove treatment failure, gonorrhoea: test of cure for sensitive bacteria 212(C)
GLOBAL BURDEN OF DISEASE: attributable to contaminated injections given in health care settings 7
GONOCOCCAL INFECTION:
uncomplicated adult, management of: should test-of-cure still be routine in patients attending genito-urinary medicine clinics 453
see also Neisseria gonorrhoeae
GONORRHOEA:
asymptomatic case in male using illegal steroids 705
incomplete reporting of race and ethnicity 778(C)
the role of urethral samples in the diagnosis of, in women 45
test of cure 639(C)
evidence-based medicine 68(C)
management of uncomplicated adult infection 453
for sensitive bacteria. Use of genotyping to disprove treatment failure 212(C)
uncomplicated
management of, efficacy of azithromycin 1 g single dose 240
management of adult infection: should test-of-cure still be routine? 453
urethral sample role of diagnosis in women 847(C)
young heterosexuals attending urban STD clinics in Britain 243
GUIDELINES:
comparison and review of current evidence for effective syphilis treatment in Europe 73
specifications for development on the management of sexually transmitted infections and closely related conditions 299

UK national, on sexually transmitted infections and closely related conditions, optimizing quality: getting the guidance right 297

HAEMANGIOMA: of the uterine cervix 486
HAEMODIALYSIS: value of therapeutic drug monitoring in the management of patients with HIV infection 67(C)
HAVENS: and sexual health, care following rape 499
HEALTH ANXIETY: prevalence and service implications in genitourinary medicine clinics 519
HEALTH CARE:
costs and fatality in HIV-infected patients 679
setting: global burden of disease attributable to contaminated injections 7
HEALTH DEVELOPMENT AGENCY EVIDENCE BRIEFING SUMMARY 213
HEALTH LITERACY: patient knowledge in Southern US HIV clinic 747
HEALTHCARE TRANSMISSION *see* iatrogenic transmission
HEPATITIS:
and HIV epidemics, parallel and overlapping in Africa 145
transmission: parallel and overlapping HIV and bloodborne hepatitis epidemics in Africa 145
HEPATITIS B:
audit on offering and accepting of vaccine by sex workers 493(C)
global burden of disease attributable to contaminated injections given in health care settings 7
infection in HIV-positive man treated with tenofovir: a case of re-infection or reactivation 204
HEPATITIS C:
global burden of disease attributable to contaminated injections given in health care settings 7
and hepatitis G virus, exposure rates among HIV-infected patients: evidence of efficient transmission of HGV by the sexual route 463
HIV co-infection 289
HEPATITIS G VIRUS: and hepatitis C virus, exposure rates among HIV-infected patients: evidence of efficient transmission of HGV by the sexual route 463
HERPES INFECTION:
bursting blisters 355
genital, antiviral treatment 429, 847(C)
HERPES SIMPLEX VIRUS INFECTION: of the central nervous system in HIV type 1-infected patients 597
HETEROSEXUALS:
high level of HIV transmission in Africa, a simulation to assess the conditions required 529
test positive for HIV at later stage of infection than homosexuals 811
young, gonorrhoea in, attending urban STD clinics in Britain: a cross-sectional survey 243
HIGH-GRADE SQUAMOUS INTRAEPITHELIAL LESION (HSIL): management 711(C)
HIGHLY ACTIVE ANTIRETROVIRAL THERAPY (HAART):
in a clinical setting, five-year immunological outcome: results from a single HIV treatment centre 523
doubts about necessity and concerns about adverse affects: identifying the types of beliefs that are associated with non-adherence 38
fatal lactic acidosis associated with in patients with advanced human immunodeficiency virus infection in Taiwan 249
HIV infection in the era of: the Malaga study 594
imiquimod cream for external anogenital warts in HIV-infected patients 17
neurocognitive impairment influences quality of life in HIV-positive patients 254
pharmacy-based assessment of adherence prediction of virologic and immunologic treatment response and clinical progression 803
remission of Behçet's disease and keratoconjunctivitis sicca in an HIV-infected patient 139
symptomatic HIV viraemia during a drug holiday: argument against treatment interruption 564
HIV ANTIBODY TEST:
audit of uptake amongst GUM clinic attendees in the West Midland region 558
determinants among selected groups of Chinese residents in Hong Kong 608
HIV EPIDEMICS:
Africa's: sexual co-factors are insufficient to fuel 442
and bloodborne hepatitis, parallel and overlapping in Africa 145
impending concentrated, among injecting drug users in Central Bangladesh 280(C)
an outbreak of infection among injection drug users in a small town in Pakistan: potential for national implications 209(C)
transfusion-associated HIV infection in Mexico related to paid blood donors 337
HIV INFECTION:
advanced, fatal lactic acidosis associated with highly active antiretroviral therapy in patients in Taiwan 249
aetiology of meningitis in patients in a referral hospital in Phnom Penh, Cambodia 48
in Africa
associated with medical injections and multiple sexual partners, review of evidence from risk factor analyses 222
major matter of unsafe sex 709(C), 710(C)
simulation to assess the conditions required for high level heterosexual transmission 529
and AIDS, the internet pornography industry and safer sex 206(C)
are we really assessing related knowledge? Competing beliefs that may put a 'knowledgeable' person at risk for HIV 637(C)
association with neoplasms in the correctional setting 348
case fatality and health care costs in infected patients 679
changing pattern in tertiary care hospital in New Delhi, India 753
colliding epidemic with tuberculosis in Russia 641
declining rates in Uganda: due to cleaner needles, not abstinence or condoms 440
discriminative study of health-related quality of life assessment in HIV-1 infected persons living in Japan using the Multidimensional Quality of Life Questionnaire 107
disseminating nocardiosis presenting with cardiac tamponade in HIV patient 839
dried blood spots as surveillance tool in remote developing world setting 658
epidemiology
adult and adolescent in Israel 691
urban Burkina Faso 395
era of highly active antiretroviral therapy: Malaga study 594
explaining gay men's unrealistic optimism about becoming infected 99

exposure rates to hepatitis C and G virus among HIV-infected patients: evidence of efficient transmission of HGV by the sexual route 463
five-year immunological outcome of highly active antiretroviral treatment in a clinical setting: results from a single HIV treatment centre 523
general practitioners and Sexual Health Strategy on Sexual Health and HIV 638(C)
genotypic resistance testing in pregnant women in an urban setting 384, 567
global burden of disease attributable to contaminated injections given in health care settings 7
health literacy and patient knowledge in Southern US HIV clinic 747
hepatitis B infection in an HIV-positive man treated with tenofovir: a case of re-infection or reactivation? 204
and hepatitis C co-infection 289
high drug resistance to antiretroviral drugs: the Indian experience 173
imiquimod cream for external anogenital warts in HIV-infected patients under HAART therapy 17
and immunology 574
late presenters 811
low serum vitamin B12 levels in an outpatient, infected population 127
maternal: predictors of at the primary care level in inner city Ibadan 165
monitoring: role of non-viral load surrogate markers in HIV-positive patient monitoring during antiviral treatment 538
needs of people within UK: national survey 793
neurocognitive impairment influences quality of life in patients receiving HAART 254
opportunistic infections in hospitalized adults in Ho Chi Minh City, Vietnam 758
osteomyelitis complicating pyomyositis 632
outbreak among injection drug users in a small town in Pakistan: potential for national implications 209(C)
partner notification: 2002 Victorian audit 629
perceptions in maternity-based health care providers in Zambia 685
post-exposure prophylaxis in the Royal Infirmary of Edinburgh: audit 134
prevalence
  antiretroviral drug resistance in the HIV-1 infected urban indigent population in San Francisco: a representative study 543
  and risk factors among fishermen in Sihanouk Ville, Cambodia 479
  sociodemographic profile and risk categories among people attending a London same-day testing clinic, 2000–2001 33
progression evaluation of possible effects of continued drug use among women 322
remission of Behçet's disease and keratoconjunctivitis sicca in a patient treated with HAART 139
response of HIV-infected patients with asymptomatic syphilis to intensive intramuscular therapy with ceftriaxone or procaine penicillin 328
results from treatment centre, five-year immunological outcome of highly active antiretroviral treatment in a clinical setting 523
risk perception: attitudes and sexual behaviour in Portugal 56
role of non-viral load surrogate markers in HIV-positive patient monitoring during antiviral treatment 538
screening: perceptions in maternity-based health care providers in Zambia 685
and STDs
  Association of British Insurers (ABI) 144
  implications for prevention: high risk sexual behaviours among drug users in Pakistan 601
  prevalence among women attending prenatal services in Apia, Samoa 116
symptomatic viraemia during a drug holiday: an argument against treatment interruption 564
and systemic lupus erythematosus 277(C)
transfusion-associated in Mexico related to paid blood donors 337
treatment-seeking methamphetamine users in northern Thailand: demographics and risks 697
value of therapeutic drug monitoring in the management of patients with HIV infection undergoing haemodialysis 67(C)
see also epidemiology
HIV PREVENTION SERVICES: HIV transmission rate utilization to assist prioritizing 789
HIV SEROPREVALENCE: and HIV-related diseases, a 16-year study of in a teaching tertiary care hospital in India 178
HIV SERVICES:
and genitourinary medicine for persons with insecure immigration or seeking asylum in the United Kingdom: a British Co-operative Clinical Group Survey 509
needs of people with HIV in UK: national survey 793
HIV TESTING:
counselling
  and gypsies 426
  rural villages in Southern Malawi, effectiveness of drama in promoting 494(C)
following-up results: what limits return in an STD clinic population? 29
how do clients access their results from genitourinary medicine clinics in the UK? 584
improving uptake in patients with a confirmed STI 626
post-test counselling in mobile STD/HIV clinic 728
universal, does attention to the window period militate against 495(C)
uptake: impact of information leaflets amongst GUM clinic attendees 422
HIV TRANSMISSION:
in Africa
  does selected ecological evidence give a true picture 434
  dynamics 710(C)
  simulation to assess the conditions required for high level heterosexual transmission 529
criminalization: can doctors be liable of onward transmission 782
debate about iatrogenic transmission should not be pretext for inaction 623
declining HIV rates in Uganda: due to cleaner needles, not abstinence or condoms 440
establishing valid AIDS monitoring and research in countries with generalized epidemics 1
experts have not just been 'seeing what they wanted to see' by 'ignoring' health care transmission of AIDS in Africa 619, 623
HIV-1 subtype dynamics over 10 years in a rural Ugandan cohort 103
initiatives to prevent sexual transmission in Africa 619
non-sexual 61(C)
parallel and overlapping HIV and bloodborne hepatitis epidemics in Africa 145

rate utilization to assist prioritizing HIV prevention services 789
reduction of materno-fetal by improving delivery techniques combined with nevirapine 848(C)
reply to 'Unsafe healthcare drives spread of African HIV' 65(C)
running on empty: sexual co-factors are insufficient to fuel Africa's turbocharged HIV epidemic 442
sexual transmission is major mode in Africa 619, 623
via unsafe injection or unsafe sex? Anomalies or misunderstanding? 61(C)
see also iatrogenic transmission

HIV-1 INFECTION:
cervical disease in HIV-1-positive women: a review 89
cord-blood seroprevalence of parturient women in Sihanoukville, Cambodia 419
early detection of lung cancer in high-risk patients with 211(C)
herpes simplex virus infection of the central nervous system in human immunodeficiency virus-type 1-infected patients 597
seropositivity: intrauterine infection after delivery 669
subtype dynamics over 10 years in a rural Ugandan cohort 103

HIV-POSITIVE PATIENTS:
bilateral psoas abscess 841
having multiple casual partners 70
heterosexual men and women test positive at later stage than homosexuals 811
lymphoma management in HIV treatment centres 765
mortality and burden of disease in a cohort of seropositive adults in Nairobi, Kenya 120
peri-anal rash 772
sexual problems in gay men 732

HIV-RELATED DISEASES: and HIV seroprevalence, a 16-year study of in a teaching tertiary care hospital in India 178

HOME APPLIED THERAPY: patient assessment of anogenital warts and the success of treatment 316

HOMOSEXUAL MEN:
explaining unrealistic optimism about becoming infected with HIV 99
HIV-positive: factors associated with sexual problems 732
oral Kaposi's sarcoma 775
the prevalence of rectal chlamydial infection amongst men who have sex with men attending the genitourinary medicine clinic in Edinburgh 162
shigellosis, re-emerging sexually transmitted infection: outbreak in men having sex with men in Berlin 533

HTLV-1 INFECTION: extensive genital warts associated with 202

HUMAN PAPILLOMA VIRUS (HPV):
detection of high-risk DNA in semen and association with quality of semen 740
HPV 16/18-associated condyloma acuminatum of urinary bladder 836

HYPERSENSITIVITY: fixed drug eruption: sexually inducible reaction 560

IATROGENIC TRANSMISSION:
cleaner needles, not abstinence or condoms: declining HIV rates in Uganda 440
contaminated injection given in health care settings: the global burden of disease attributable to 7
debate about HIV transmission should not be pretext for inaction 623
declining HIV rates in Uganda: due to cleaner needles, not abstinence or condoms 440
does selected ecological evidence give a true picture of HIV transmission in Africa? 434
experts have not just been 'seeing what they wanted to see' by 'ignoring' health care transmission of AIDS in Africa. Sexual transmission is indeed the major mode of transmission 619
global burden of disease attributable to contaminated injections given in health care settings 7
HIV transmission via unsafe injection or unsafe sex 61(C)
medical injections and multiple sexual partners: review of evidence from risk factor analyses associating HIV infection in African adults 222
reply to 'Unsafe healthcare drives spread of African HIV' 65(C)
sexual co-factors are insufficient to fuel Africa's turbocharged HIV epidemic 442

IMIQUIMOD:
bowenoid papulosis of penis treatment 833
external anogenital warts in HIV-infected patients under HAART therapy 17

IMMIGRANTS:
genitourinary medicine/HIV services for persons with insecure immigration or seeking asylum in the United Kingdom: a British Co-operative Clinical Group Survey 509
what are the needs of asylum seekers attending an STI clinic and are they significantly different from those of British patients? 515

IMMUNOLOGICAL OUTCOME: five-year of highly active antiretroviral treatment in a clinical setting: results from a single HIV treatment centre 523

IMMUNOLOGY: and HIV 574

INFORMATION LEAFLETS: impact on HIV test uptake amongst GUM clinic attendees 422

INJECTING DRUG USERS:
drug use and sexual risk behaviours among female Russian IDUs who exchange sex for money or drugs 343
evaluation of possible effects of continued drug use on HIV progression among women 322
impending concentrated HIV epidemic among in Central Bangladesh 280(C)
outbreak of HIV infection in a small town in Pakistan: potential for national implications 209(C)
venous access in clinic 844(C)
see also substance abuse

INJECTIONS:
cleaner needles, not abstinence or condoms: declining HIV rates in Uganda 440
contaminated, given in health care settings, the global burden of disease attributable to 7
HIV transmission via unsafe injection or unsafe sex? 61(C)
medical and multiple sexual partners, review of evidence from risk factor analyses associating HIV infection in African adults 222
see also iatrogenic transmission

INSURANCE: Association of British Insurers (ABI): sexually transmitted infections and HIV 144

INTENT, NEGATIVE: correlates to receive an AIDS vaccine 552

INTERNATIONAL JOURNAL OF STD&AIDS: fifteen years of 781(E)

INTERNET: setting up your own website 213

INTERNET SEX:
pornography industry and safer sex 206(C)
seeking and engaging in 720

INTIMATE EXAMINATIONS: in genitourinary medicine clinics, chaperoning in GUM 71
INTRAUTERINE INFECTION: after delivery: marker of HIV-1 seropositivity 669
INTRAVENOUS DRUG USERS *see* injecting drug users

KAPOSI'S SARCOMA:
oral in non-HIV homosexual male 775
unusual bone manifestation 566
KERATOCONJUNCTIVITIS SICCA: and Behçet's disease, remission in an HIV-infected patient treated with HAART 139
KNOWLEDGE:
attitudes and beliefs about directly-administered antiretroviral therapy among tuberculosis patients, Botswana 2002 282(C)
HIV/AIDS related, are we really assessing? Competing beliefs that may put a 'knowledgeable' person at risk for HIV 637(C)
patient and health literacy in Southern US HIV clinic 747

LACTIC ACIDOSIS: fatal, associated with highly active antiretroviral therapy in patients with advanced human immunodeficiency virus infection in Taiwan 249
LEGAL ISSUES: can doctors be liable of onward transmission of HIV 782
LEPROSY: drug adherence 713
LICHEN SCLEROSUS: extramammary Paget's disease masquerading as 141
LUNG CANCER:
another reason to stop smoking 497(C)
early detection in high-risk patients with HIV-1 infection 211(C)
LYMPHOMA: HIV-related: management in HIV treatment centres 765

MASTURBATION: chronic, chronic penile oedema secondary to 489
MEN:
antiretroviral therapy is associated with sexual dysfunction and with increased serum oestradiol levels 234
hepatitis B infection in an HIV-positive man treated with tenofovir: a case of re-infection or reactivation? 204
prevalence of rectal chlamydial infection amongst men who have sex with men attending the genitourinary medicine clinic in Edinburgh 162
profile of clients of male sex workers in Córdoba, Argentina 266
retrospective review of the correlation of symptoms, signs and microscopy with the diagnosis of *Chlamydia trachomatis* 319
shigellosis—a re-emerging sexually transmitted infection: outbreak in men having sex with men in Berlin 533
young, sexual behaviour in Sweden and the impact of pornography 590
MENINGITIS: aetiology of, in HIV-infected patients in a referral hospital in Phnom Penh, Cambodia 48
MENTORING: in GU medicine 284
METHAMPHETAMINE: users in northern Thailand: demographics and risks for HIV and STD 697
METRONIDAZOLE: allergic, symptomatic trichomoniasis and pregnant, management 275
MIGRANTS:
genitourinary medicine/HIV services for persons with insecure immigration or seeking asylum in the United Kingdom: a British Co-operative Clinical Group Survey 509
what are the needs of asylum seekers attending an STI clinic and are they significantly different from those of British patients? 515
MOLECULAR BIOLOGY: HIV-1 subtype dynamics over 10 years in a rural Ugandan cohort 103
MOLECULAR DIAGNOSIS: non-ulcerative sexually transmitted infections in antenatal clinic attendees, vaginal tampons as specimen collection device for 94
MORTALITY: and burden of disease in a cohort of HIV-seropositive adults in Nairobi, Kenya 120
MULTIDIMENSIONAL QUALITY OF LIFE QUESTIONNAIRE: for HIV/AIDS, a discriminative study of health-related quality of life assessment in HIV-1 infected persons living in Japan 107
MYCOPLASMA GENITALIUM: in chronic non-gonococcal urethritis 21

NATIONAL OUTCOME STANDARDS: proposed, for chlamydia management, is telephone follow-up as good as traditional clinic follow-up? 376
NATIONAL SEXUAL HEALTH AND HIV STRATEGY 647
general practitioners 169
NEISSERIA GONORRHOEAE:
efficacy of azithromycin 1g single dose in the management of uncomplicated gonorrhoea 240
screening males at STD clinics in US cities 822
uncomplicated adult gonococcal infection management: should test-of-cure still be routine in patients attending genitourinary medicine clinics 453
NEOPLASMS:
another reason to stop smoking 497(C)
the association with HIV infection in the correctional setting 348
unusual bone manifestation of Kaposi's sarcoma 566
NEUROCOGNITIVE IMPAIRMENT: influences quality of life in HIV-infected patients receiving HAART 254
NEVIRAPINE: reduction of materno-fetal HIV transmission by improving delivery techniques combined with nevirapine 848(C)
NOCARDIOSIS: disseminating: presenting with cardiac tamponade in HIV patient 839
NON-GONOCOCCAL URETHRITIS:
chronic, *Mycoplasma genitalium* in 21
considered review 849(C)
screening for 69(C)
NURSES: patients, organisational and socioeconomic characteristics: influences of on quality of primary care for sexually transmitted diseases in Durban, South Africa 388

OEDEMA: chronic penile, secondary to chronic masturbation 489
OESTRADIOL LEVELS: raised serum, in men and sexual dysfunction, are associated with antiretroviral therapy 234
OPPORTUNISTIC INFECTIONS:
changing pattern of HIV infection in tertiary care hospital in New Delhi, India 753
disseminating nocardiosis presenting with cardiac tamponade in HIV patient 839
hospitalized HIV-infected adults in Ho Chi Minh City, Vietnam 758
OPTIMISM, UNREALISTIC: gay men's about becoming infected with HIV 99
ORCHITIS: *Pseudomonas* in puberty 707

OSTEOMYELITIS: complicating pyomyositis in HIV disease 632
OUTPATIENT POPULATION: low serum vitamin B12 levels in an outpatient HIV-infected population 127

PAGET'S DISEASE: extramammary, masquerading as lichen sclerosus 141
PAIN: alcohol-induced peno-dynia 492(C)
PARTNER NOTIFICATION:
genital chlamydial infection management 725
HIV: 2002 Victorian audit 629
inconsistencies in practices in genitourinary medicine 635(C)
preferences of Melbourne clients and the estimated proportion of sexual partners they can contact 425
PATIENT CHARACTERISTICS:
determinants of HIV antibody testing among selected groups of Chinese residents in Hong Kong 608
HIV infection in the era of highly active antiretroviral therapy: the Malaga study 594
nurse, organisational and socioeconomic characteristics, influences of, on quality of primary care for sexually transmitted diseases in Durban, South Africa 388
PATIENTS:
aggressive 356
assessment of anogenital warts and the success of treatment with home applied therapy 316
knowledge and health literacy in Southern US HIV clinic 747
see also clients
PENICILLIN: procaine, or ceftriaxone, response of HIV-infected patients with asymptomatic syphilis infection to intensive intramuscular therapy 328
PENIS:
bowenoid papulosis: treatment with topical imiquimod cream 833
chronic oedema secondary to chronic masturbation 489
cocaine-induced necrosis 424
foreign bodies 355
pigmented macules 717
PENO-DYNIA: alcohol-induced 492(C)
PERI-ANAL RASH: investigation 772
PHOTOGRAPHY: consent 70
PNEUMOCYSTIS CARINII: opportunistic infections in hospitalized HIV-infected adults in Ho Chi Minh City, Vietnam 758
PNEUMOCYSTIS JIROVECI: opportunistic infections in hospitalized HIV-infected adults in Ho Chi Minh City, Vietnam 758
POLYMERASE CHAIN REACTION: dual sampling for detection of female *Chlamydia trachomatis* infection 189
PORNOGRAPHY:
impact, sexual behaviour among young men in Sweden 590
industry, the internet and safer sex, HIV and AIDS 206(C)
POST-EXPOSURE PROPHYLAXIS:
following sexual intercourse 844(C)
for human immunodeficiency virus infection in the Royal Infirmary of Edinburgh: audit 134
PREGNANCY:
genotypic resistance testing in HIV-infected pregnant women in an urban setting 384, 567
HIV-1 cord-blood seroprevalence of parturient women in Sihanoukville, Cambodia 419
marginal validity of syndromic management for reproductive tract infections among pregnant women in Jamaica 371
predictors of maternal HIV infection at the primary care level in inner city Ibadan 165
symptomatic trichomoniasis, metronidazole allergic and pregnant, management dilemma 275
unwanted, genitourinary medicine: an opportunity to reduce 192
PRENATAL SERVICES:
antenatal clinic attendees: vaginal tampons as specimen collection device for molecular diagnosis of non-ulcerative sexually transmitted infections 94
women attending in Apia, Samoa, prevalence of sexually transmitted diseases and human immunodeficiency virus 116
PRESCRIBING:
pharmacy clerks' practices for STD patients in Porto Alegre, Brazil: missed opportunities for improving STD control 333
private prescription costs for sildenafil within the NHS: a telephone survey 314
PRIMARY CARE 165
general practitioners and the National Strategy on Sexual Health and HIV 169
pharmacy-based screening programme for *Chlamydia trachomatis* in high-risk health centre population in Amsterdam 797
predictors of maternal HIV infection in inner city Ibadan 165
quality of for sexually transmitted diseases in Durban, South Africa: influences of patient, nurse, organisational and socioeconomic characteristics 388
PRISON:
association of neoplasms with HIV infection in the correctional setting 348
association of *Trichomonas vaginalis* with sociodemographic factors and other STDs among female inmates in Lisbon 608
PSEUDOMONAS: orchitis in puberty 707
PSOAS ABSCESS: bilateral in HIV-positive patient 841
PUERPERAL SEPSIS: HIV-1 seropositivity 669
PYOMYOSITIS: complicated by osteomyelitis in HIV disease 632

QUALITY OF LIFE: influenced by neurocognitive impairment in HIV-infected patients receiving HAART 254
QUALITY OF LIFE ASSESSMENT: health-related, a discriminative study in HIV-1 infected persons living in Japan using the Multidimensional Quality of Life Questionnaire for persons with HIV/AIDS 107

RACE: incomplete reporting and potential bias 778(C)
RAPE:
audit on management of female victims of sexual assault attending a genitourinary medicine clinic 484
care following: sexual health and Havens 499
RECTAL CHLAMYDIAL INFECTION:
men attending GUM clinic 847(C)
prevalence amongst men who have sex with men attending the genitourinary medicine clinic in Edinburgh 162
RENAL DISEASE, END-STAGE: experience with efavirenz 143(C)
REPRODUCTIVE TRACT INFECTIONS: marginal validity of syndromic management for, among pregnant women in Jamaica 371
RESISTANCE TESTING: genotypic, in HIV-infected pregnant women in an urban setting 384, 567

RESOURCE UTILIZATION: and treatment utilization, patterns in the treatment of external genital warts in England and Wales 473
RISK BEHAVIOURS:
declining HIV rates in Uganda: due to cleaner needles, not abstinence or condoms 440
sexual
among drug users in Pakistan: implications for prevention of STDs and HIV/AIDS 601
drug use among female Russian IDUs who exchange sex for money or drugs 343
see also sexual behaviour
RISK CATEGORIES: sociodemographic profile and prevalence of HIV infection among people attending a London same-day testing clinic, 2000–2001 33
RISK FACTORS:
analyses, review of evidence associating HIV infection in African adults with medical injections and multiple sexual partners 222
does selected ecological evidence give a true picture of HIV transmission in Africa? 434
HIV prevalence among fishermen in Sihanouk Ville, Cambodia 479
prevalence of asymptomatic chlamydial infection among students in Japan 408
RISK PERCEPTION: HIV/AIDS, attitudes and sexual behaviour in Portugal 56
RUSSIA: colliding epidemics of tuberculosis and HIV 641

SAFER SEX: and the internet pornography industry, HIV and AIDS 206(C)
SAME-DAY TESTING CLINIC: sociodemographic profile, risk categories and prevalence of HIV infection among people attending a London clinic, 2000–2001 33
SARCOMA: Kaposi's, unusual bone manifestation 566
SCREENING:
males for *Chlamydia trachomatis* and *Neisseria gonorrhoeae* at STD clinics in US cities 822
for non-gonococcal urethritis 69(C)
pharmacy-based programme for *Chlamydia trachomatis* in high-risk health centre population in Amsterdam 797
SCROTUM:
acute: *Pseudomonas* orchitis in puberty 707
ultrasound scan role in genitourinary medicine 306
SEMEN: detection of high-risk HPV DNA 740
SERVICE PROVISION:
can a shrinking service mislead people into thinking there is less disease? 637(C)
implications and prevalence of health anxiety in genitourinary medicine clinics 519
sexual health, client perspectives on 380
SEXUAL ASSAULT:
care following rape: sexual health and Havens 499
female victims, an audit of the management of, attending a genitourinary medicine clinic 484
SEXUAL BEHAVIOUR:
among young men in Sweden and the impact of pornography 590
high risk, among drug users in Pakistan: implications for prevention of STDs and HIV/AIDS 601
HIV/AIDS risk perception and attitudes in Portugal 56
HIV-positive patient having multiple casual partners 70
review of evidence from risk factor analyses associating HIV infection in African adults with medical injections and multiple sexual partners 222
seeking and engaging in internet sex 720
see also risk behaviours
SEXUAL CO-FACTORS: insufficient to fuel Africa's turbocharged HIV epidemic 442
SEXUAL DYSFUNCTION: increased serum oestradiol levels in men associated with antiretroviral therapy 234
SEXUAL HEALTH:
general practitioner involvement in care 779(C)
and Havens, care following rape 499
strategy for general practitioners and Sexual Health Strategy on Sexual Health and HIV 638(C)
SEXUAL HEALTH SERVICES:
available for university students 279(C)
provision
can a shrinking service mislead people into thinking there is less disease? 637(C)
client perspectives 380
implications and prevalence of health anxiety in genitourinary medicine clinics 519
SEXUAL INTERCOURSE:
post-exposure prophylaxis following 844(C)
during therapy for bacterial sexually transmitted infections: evidence for efficacy of condom use preventing transmission during acute bacterial STI 285
SEXUAL PARTNERS:
characteristics of and STD infection among American adolescents 260
multiple and medical injections, review of evidence from risk factor analyses associating HIV infection in African adults with 222
partner notification: preferences of Melbourne clients and the estimated proportion they can contact 425
SEXUAL PROBLEMS: HIV-positive gay men 732
SEXUAL TRANSMISSION:
declining HIV rates in Uganda: due to cleaner needles, not abstinence or condoms 440
does selected ecological evidence give a true picture of HIV transmission in Africa? 434
experts have not just been 'seeing what they wanted to see' by 'ignoring' health care transmission of AIDS in Africa. Sexual transmission is indeed the major mode of transmission 619, 623
HGV: exposure rates to hepatitis C and G virus among HIV-infected patients 463
HIV in Africa, a simulation to assess the conditions required for high level heterosexual transmission 529
HIV transmission via unsafe injection or unsafe sex? Anomalies or misunderstanding? 61(C)
sexual co-factors are insufficient to fuel Africa's turbocharged HIV epidemic 442
SEXUALLY ACQUIRED REACTIVE ARTHRITIS:
management in 19 North Thames GUM clinics 195
SEXUALLY INDUCIBLE REACTION: fixed drug eruption 560
SEXUALLY TRANSMITTED DISEASES:
bacterial, sexual intercourse during therapy for: discussion of evidence for efficacy of condom use preventing transmission during an acute bacterial STI. 285
clinic population, following-up for HIV test results 29
clinics in urban Britain, gonorrhoea in young heterosexuals attending 243
and closely related conditions
optimizing the quality of the UK national guidelines on: getting the guidance right 297
specifications for the development of guidelines on the management of 299

confirmed, improving uptake of HIV testing in patients with 626
and HIV
the Association of British Insurers (ABI) 144
implications for prevention: high risk sexual behaviours among drug users in Pakistan 601
prevalence among women attending prenatal services in Apia, Samoa 116
infection among American adolescents and characteristics of sexual partners 260
management of sexually acquired reactive arthritis in 19 North Thames GUM clinics 195
missed opportunities for control improvement, pharmacy clerk's prescribing practices for STD patients in Porto Alegre, Brazil 333
needs of asylum seekers attending clinics: are they significantly different from those of British patients? 515
non-ulcerative, vaginal tampons as specimen collection device for molecular diagnosis, in antenatal clinic attendees, 94
quality of primary care for in Durban, South Africa: influences of patient, nurse, organisational and socioeconomic characteristics 388
shigellosis, re-emerging: outbreak in men having sex with men in Berlin 533
sociodemographic factors, association with *Trichomonas vaginalis* among female inmates in Lisbon 608
treatment-seeking methamphetamine users in northern Thailand: demographics and risks 697
usefulness of high vaginal swabs in general practice 238
US–Mexico border 815
SHIGELLOSIS: re-emerging sexually transmitted infection: outbreak in men having sex with men in Berlin 533
SILDENAFIL:
private prescription costs within the NHS: a telephone survey 314
treatment of erectile dysfunction 215, 639(C)
SMOKING: another reason to stop 497(C)
SOCIODEMOGRAPHIC FACTORS: and other STDs, association with *Trichomonas vaginalis* among female inmates in Lisbon 608
SOCIODEMOGRAPHIC PROFILE:
correlates of negative intent to receive an AIDS vaccine 552
determinants of HIV antibody testing among selected groups of Chinese residents in Hong Kong 608
risk categories and prevalence of HIV infection among people attending a London same-day testing clinic, 2000–2001 33
SOCIOECONOMIC CHARACTERISTICS: patient, nurse and organisational characteristics, influences on quality of primary care for sexually transmitted diseases in Durban, South Africa 388
SPECIALIST REGISTRARS: training in genitourinary medicine: opportunities and facilities available across the UK and plans for future working 569
SPECIMEN COLLECTION: vaginal tampons as device for the molecular diagnosis of non-ulcerative sexually transmitted infections in antenatal clinic attendees 94
SQUAMOUS INTRAEPITHELIAL LESIONS: anal cancer and the genitourinary medicine specialist 153
STAPHYLOCOCCAL INFECTION: osteomyelitis complicating pyomyositis in HIV disease 632
STEROIDS: illegal use: aysmptomatic gonorrhoea 705
STUDENTS:
condom breakage and slippage, correlates of among university undergraduates 467
in Japan, prevalence and risk factors of asymptomatic chlamydial infection 408
need for dedicated clinics in genitourinary medicine 568(C)
university, sexual health services available for 279(C)
STUDY LEAVE: survey of entitlement in 2002 amongst non-consultant career grade doctors in genitourinary medicine 26
SUBSTANCE ABUSE:
in Pakistan, high risk sexual behaviours: implications for prevention of STDs and HIV/AIDS 601
and sexual risk behaviours among female Russian IDUs who exchange sex for money or drugs 343
treatment seeking methamphetamine users in northern Thailand: demographics and risks for HIV and STD 697
see also injecting drug users
SURGICAL OPERATIONS: successful treatment of a case of condyloma acuminata with giant and multiple lesions on the vulva and breast 199
SURVEILLANCE:
does attention to the window period militate against universal HIV testing 495(C)
dried blood spots as HIV surveillance tool in remote developing world setting 658
SYPHILIS:
asymptomatic infection, response of HIV-infected patients to intensive intramuscular therapy with ceftriaxone or procaine penicillin 328
early, audit of management at North Manchester General Hospital 352
multi-district audit of the management of in genitourinary medicine clinics in Yorkshire 183
social disease: experience from post-communist transition period in Estonia 662
sore penis 355
treatment: review of current evidence and comparison of guidelines for in Europe 73
year 2002 re-emergence in Austria 496(C)
SYSTEMIC LUPUS ERYTHEMATOSUS: and HIV infection 277(C)

TADALAFIL: treatment of erectile dysfunction 215, 639(C)
TAMPONS: vaginal, as specimen collection device for the molecular diagnosis of non-ulcerative sexually transmitted infections in antenatal clinic attendees 94
TELEPHONE FOLLOW-UP: is it as good as traditional clinic follow-up in achieving the proposed national outcome standards for chlamydia management? 376
TENOFOVIR: hepatitis B infection in an HIV-positive man treated with, a case of re-infection or reactivation 204
TERTIARY CARE:
changing pattern of HIV infection in New Delhi, India 753
teaching hospital in India, a 16-year study of HIV seroprevalence and HIV-related diseases in 178
TEST OF CURE:
evidence-based medicine and gonorrhoea 68(C)
gonorrhoea 639(C)
for sensitive bacteria. Use of genotyping to disprove treatment failure for gonorrhoea 212(C)
should it still be routine in patients attending genitourinary medicine clinics for management of uncomplicated adult gonococcal infection 453

TESTING: new tests, new ways, old resistance 498
TRAINING:
in genitourinary medicine from the specialist registrar's point of view: opportunities and facilities available across the UK and plans for future working 569
level 2 genitourinary medicine and ongoing supervision 459
TREATMENT:
Chlamydia trachomatis in North Thames Region 2003 831
health literacy and patient knowledge in Southern US HIV clinic 747
intent correlates of negative intent to receive an AIDS vaccine 552
markers: role of non-viral load surrogate markers in HIV-positive patient monitoring during antiviral treatment 538
pattern analysis: costs of treating external genital warts in England and Wales 501
utilization and resource utilization, patterns in the treatment of external genital warts in England and Wales 473
TRICHOMONAS VAGINALIS: association with sociodemographic factors and other STDs among female inmates in Lisbon 608
TRICHOMONIASIS: symptomatic, metronidazole allergic and pregnant: management dilemma 275
TUBERCULOSIS:
bilateral psoas abscess in HIV-positive patient 841
colliding epidemic with HIV in Russia 641
drug adherence 713
knowledge, attitudes and beliefs about directly-administered antiretroviral therapy among patients, Botswana 2002 282(C)

ULTRASOUND: role of scrotal scans in genitourinary medicine 306
UNSAFE SEX: HIV in Africa 709(C), 710(C)
URETHRAL SAMPLES:
measuring value of microscopy of material 846(C)
role in diagnosis of gonorrhoea in women 45, 847(C)
URETHRAL SMEAR MICROSCOPY: value of routine 849(C)
URETHRITIS:
asymptomatic 849(C)
gonococcal: asymptomatic gonorrhoea in male using illegal steroids 705
see also non-gonococcal urethritis
URINARY BLADDER: HPV 16/18-associated condyloma acuminatum 836
UTERINE CERVIX:
disease in HIV-1-positive women 89
haemangioma 486

VACCINE:
AIDS, correlates of negative intent to receive 552
hepatitis B, audit on offering and accepting of by sex workers 493(C)
VAGINAL DISCHARGE: syndromic management in a community setting, and genital syndromes 367
VAGINAL SWABS: high, usefulness in general practice 238
VAGINOSIS: bacterial, impact on detection of chlamydial infection 209(C)
VARDENAFIL: treatment of erectile dysfunction 215, 639(C)
VENOUS ACCESS: in clinic 844(C)
VIRAEMIA: symptomatic HIV during a drug holiday 564
VITAMIN B12: low serum levels in an outpatient HIV-infected population 127

WAITING LISTS: initiatives in GU medicine 356
WEBSITES: setting up your own 213
WINDOW PERIOD: does attention to militate against universal HIV testing 495(C)
WOMEN:
association of *Trichomonas vaginalis* with sociodemographic factors and other STDs among female inmates in Lisbon 608
attending prenatal services in Apia, Samoa, prevalence of sexually transmitted diseases and human immunodeficiency virus 116
audit on management of victims of sexual assault attending a genitourinary medicine clinic 484
cervical disease in HIV-1-positive women: a review 89
condom use
female sex worker population in Thailand 210(C)
multi-partnered females 403
contraceptive practices amongst female genitourinary medicine clinic attenders 635(C)
drug use and sexual risk behaviours among female Russian IDUs who exchange sex for money or drugs 343
dual sampling for the detection of female *Chlamydia trachomatis* infection with a polymerase chain reaction test 189
evaluation of possible effects of continued drug use on HIV progression 322
parturient in Sihanoukville, Cambodia, HIV-1 cord-blood seroprevalence 419
pregnant
HIV-infected in an urban setting, genotypic resistance testing in 384, 567
in Jamaica, marginal validity of syndromic management for reproductive tract infections 371
urethral sample role in diagnosis of gonorrhoea 45